

**DS-PC201N
LAN Module**

- Operates with AX HOME control panel to provide ethernet network for cloud communication

▪ Specification

Model		DS-PC201N
Communication	Ethernet	1 8P8C socket
	Ethernet speed	≤10Mbps
General	Dimension (W×H×D)	55 x 13.45 x 24 mm
	Weight	6.5 g
	Operation temperature	-10 °C to +55 °C
	Operation humidity	10% to 90%

▪ Available Model

DS-PC201N

▪ Accessory

▪ Included

DS-PA201P-32WE Control Panel	DS-PA201PG-32 WE Control Panel	DS-PA201PS-32W E Control Panel	DS-PA201P-32W B Control Panel	DS-PA201PG-32 WB Control Panel
				
DS-PA201PS-32W B Control Panel	DS-PA201P-16WE Control Panel	DS-PA201P-16W B Control Panel	DS-PA201PG-16 WE Control Panel	DS-PA201PG-16 WB Control Panel

				
DS-PA201PS-16W DS-PA201PS-16W E B Control Panel Control Panel				
				

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq